


Peel & Stick Appliqué Antenna, 1700 – 6000 MHz




Model Shown: AA-1700-6000

Features


- 1700 – 6000 MHz operational bandwidth
- Low visibility from outside vehicle
- Ideal for mounting on non-metallic, low-loss materials such as glass, fiberglass, polyethylene, polycarbonate, and other plastics
- Easily adheres to surface
- Quick installation (< 1 minute)
- Electrically small antenna
- Other connector options available

Characteristics


Model Number	AA-1700-6000
Frequency	1700 – 6000 MHz
Gain	1.3 dBi @ 1800 MHz 3.1 dBi @ 4200 MHz
Pattern	Near omni
Polarization	Linear
VSWR	< 2:1
Nominal Impedance	50 Ohms
Size	2.5" × 1.4"
Cable length	17"
Weight	0.2 oz
Connector Type	SMA



Radiation Patterns: 1700 MHz




VSWR




octane is a division of Pharad, LLC. Octane is a registered trademark of Pharad, LLC. Specifications subject to change without notice.

1340 Charwood Road, Suite L • Hanover, MD 21076 • phone 410-590-3333 • email info@octanewireless.com
www.octanewireless.com


Radiation Patterns: 2200 MHz




Radiation Patterns: 2500 MHz




Radiation Patterns: 2800 MHz



Radiation Patterns: 3400 MHz



Radiation Patterns: 4400 MHz



Radiation Patterns: 5000 MHz

