

Low-Profile Antenna, 1500 – 1700 MHz



Features and Benefits

- O Wide Hemispherical Pattern
- O Low-Profile
 - Aerodynamic
- O Lightweight
- O Highly Efficient
- O Good VSWR over designed bands
- O Independent of mounting surface


Pharad offers a highly efficient, low-profile antenna operating in L-band. This low-profile antenna features good VSWR (Voltage Standing Wave Ratio) over the designed bands. It also provides wide hemispherical coverage and maintains performance independent of the mounting surface. Mounting the antenna to a small metallic or composite surface is easily accomplished with standard fasteners. These small, hockey puck shaped antennas are less than 1ml height and 3.5" in diameter; min imizing the impact on platform aerodynamics. Applications include UAV and vehicle communications.


Characteristics

Part Number	LP-1500-1700
Frequency	1500 – 1700 MHz
Gain	5 dBi @ 1500 MHz 6 dBi @ 1700 MHz
VSWR	< 2.5:1
Maximum Power	10 Watts
Pattern	Hemispherical
Polarization	Vertical
Size (H × W)	5.0" × 1.1"
Weight	4 oz
Connector Type	SMA

Radiation Pattern: 1600 MHz







07/2011

octane is a division of Pharad, LLC. Octane is a registered trademark of Pharad, LLC. Specifications subject to change without notice.

Document #: 900086